



# Connector Selection Guide

## CELLFLEX® Foam Cables

Model Number	Description	Sealing Method	Plating Outer/Inner	Contact Inner	Attachment Outer	Trimming Tool	Length, mm (in)	Outer Dia., mm (in)	Weight, kg (lb)
<b>SCF14-50 SERIES</b>									
NFB-SCF14-005	N Female Bulkhead	O-ring	Silver/Gold	Basket	Self Clamp		50.3 (2.0)	22.1 (0.9)	0.10 (0.22)
NM-SCF14-003	N Male	O-ring	Brass/Silver	Soldered	Tab Flare		48.3 (1.9)	41.4 (1.6)	0.09 (0.20)
SMAF-SCF14-001	SMA Female	O-ring	Brass/Gold	Soldered	Tab Flare		46.0 (1.8)	13.2 (0.5)	0.07 (0.15)
SMAM-SCF14-002	SMA Male	O-ring	Brass/Gold	Soldered	Tab Flare		40.6 (1.6)	13.2 (0.5)	0.06 (0.14)
UHFF-SCF14-007	UHF Female	O-ring	Silver/Silver	Basket	Tab Flare		58.4 (2.3)	16.0 (0.6)	0.07 (0.15)
UHFM-SCF14-006	UHF Male Knurled nut	O-ring	Silver/Silver	Basket	Tab Flare		58.4 (2.3)	20.3 (0.8)	0.09 (0.20)
716F-SCF14-001	7-16 DIN Female	Shrinking Sleeve	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	40.0 (1.6)	29.0 (1.2)	0.09 (0.20)
716M-SCF14-001	7-16 DIN Male	Shrinking Sleeve	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	41.0 (1.6)	37.0 (1.5)	0.11 (0.25)
NF-SCF14-001	N Female	Shrinking Sleeve	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	28.0 (1.1)	16.0 (0.6)	0.04 (0.09)
NF-SCF14-035	N Female	Shrinking Sleeve	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	28.0 (1.1)	16.0 (0.6)	0.04 (0.09)
NM-SCF14-001	N Male	Shrinking Sleeve	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	36.5 (1.4)	21.0 (0.8)	0.05 (0.12)
NM-SCF14-035	N Male	Shrinking Sleeve	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	26.5 (1.1)	37.0 (1.5)	0.05 (0.12)
NMR-SCF14-045	N Male Right Angle	Shrinking Sleeve	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	36.2 (1.4)	16.0 (0.6)	0.07 (0.15)
TNCF-SCF14-001	TNC Female	Shrinking Sleeve	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	35.0 (1.4)	16.0 (0.7)	0.04 (0.01)
TNCM-SCF14-001	TNC Male	Shrinking Sleeve	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	34.0 (1.4)	16.0 (0.7)	0.04 (0.01)
BNCM-SCF14-040	BNC Male	Shrinking Sleeve	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	35.5 (1.4)	18.0 (0.7)	0.04 (0.01)
<b>SCF38-50 SERIES</b>									
NM-SCF38-070	N Male	Threaded Gasket	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	52.4 (2.06)	21.0 (0.8)	0.08 (0.18)
NM-SCF38-075	N Male	Threaded Gasket	Silver/Gold	Basket	Tab Flare	TRIM-Series-A	52.4 (2.06)	21.0 (0.83)	0.08 (0.18)
716F-SCF38-001	7-16 DIN Female	Shrinking Sleeve	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	47.0 (1.9)	29.0 (1.2)	0.13 (0.29)
716M-SCF38-001	7-16 DIN Male	Shrinking Sleeve	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	47.0 (1.9)	37.0 (1.5)	0.11 (0.25)
716MR-SCF38-041	7-16 DIN Male Right Angle	Shrinking Sleeve	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	42.7 (1.7)	37.0 (1.5)	0.20 (0.45)
716MR-SCF38-071	7-16 DIN Male Right Angle	O-ring	Silver/Silver	Basket	Crush Flare	TRIM-Series-A	50 (1.9)	31.8 (1.2)	0.20 (0.45)
NF-SCF38-070	N Female	Shrinking Sleeve	Silver/Silver	Basket	Crush Flare	TRIM-Series-A	44.2 (1.7)	21 (0.8)	0.08 (0.18)
NMR-SCF38-071	N Male Right Angle	Shrinking Sleeve	Silver/Gold	Basket	Crush Flare	TRIM-Series-A	41.8 (1.6)	31.8 (1.2)	0.20 (0.45)
<b>SCF12-50 SERIES</b>									
UHFF-SCF12-003	UHF Female	O-ring	Silver/Silver	Basket	Tab Flare	TRIM-Series-B	68.6 (2.7)	22.1 (0.9)	0.10 (0.23)
UHFM-SCF12-002	UHF Male Knurled nut	O-ring	Brass/Silver	Soldered	Tab Flare	TRIM-Series-B	66.0 (2.6)	22.1 (0.9)	0.10 (0.23)
716F-SCF12-070	7-16 DIN Female	Threaded Gasket	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	60.5 (2.4)	29.0 (1.2)	0.13 (0.29)
716M-SCF12-070	7-16 DIN Male	Threaded Gasket	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	60.0 (2.4)	37.0 (1.5)	0.13 (0.29)
716MR-SCF12-071	7-16 DIN Male Right Angle	Threaded Gasket	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	43.2 (1.7)	37.0 (1.5)	0.21 (0.47)
NF-SCF12-070	N Female	Threaded Gasket	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	59.2 (2.3)	23.8 (0.9)	0.10 (0.2)
NM-SCF12-070	N Male	Threaded Gasket	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	60.0 (2.4)	23.8 (0.9)	0.10 (0.2)
NMR-SCF12-071	N Male Right Angle	Threaded Gasket	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	44.8 (1.8)	23.8 (0.9)	0.12 (0.27)
4195M-SCF12-001	4.1-9.5 DIN Male	Shrinking Sleeve	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	47.0 (1.9)	25.0 (1.0)	0.089 (0.20)
NM-SCF12-075	N Male	Shrinking Sleeve	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	60.0 (2.4)	23.8 (0.9)	0.10 (0.2)
78EIA-SCF12-070	7/8" EIA RAPID FIT	Threaded Gasket	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	90 (3.5)	57 (2.2)	0.67 (1.48)
TNCF-SCF12-001	TNC Female	Shrinking Sleeve	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	38.4 (1.5)	23.0 (0.9)	0.99 (2.18)
<b>UCF78-50A SERIES</b>									
716F-LCF78-062	7-16 DIN Female RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	62.0 (2.5)	35.0 (1.4)	0.22 (0.49)
716M-LCF78-062	7-16 DIN Male RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	66.0 (2.6)	37.0 (1.5)	0.22 (0.49)
716M-LCF78-066	7-16 DIN Male Right angle	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	61.0 (2.4)	37.0 (1.5)	0.30 (0.66)
NF-LCF78-062	N Female RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	55.0 (2.2)	35.0 (1.4)	0.15 (0.34)
NM-LCF78-062	N Male RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	65.6 (2.6)	35.0 (1.4)	0.15 (0.34)
78EIA-LCF78-062	7/8" EIA RAPID FIT	Plast 2000	Silver/Silver	Self Tapping	Spring Finger	TRIM-Series-A	76.5 (3.0)	57.0 (2.3)	0.38 (0.85)
158EIA-LCF78-062	1-5/8" EIA RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	110.0 (4.3)	90.0 (3.6)	0.95 (2.10)
HNM-LCF78-062	HN Male RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	69.4 (2.7)	34.8 (1.4)	0.18 (0.40)
716F-LCF78-072	7-16 DIN Female RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	61.0 (2.4)	35.0 (1.4)	0.22 (0.49)
716F-LCF78-020	7-16 DIN Female RAPID FIT 2	O-ring	Silver/Silver	Spring Finger	CAF Clamping	TRIM-Series-D	56 (2.21)	35.8 (1.41)	0.20 (0.43)
716M-LCF78-072	7-16 DIN Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	66.0 (2.6)	37.0 (1.5)	0.22 (0.49)
716M-LCF78-020	7-16 DIN Male RAPID FIT 2	O-ring	Silver/Silver	Spring Finger	CAF Clamping	TRIM-Series-D	52.1 (2.05)	36.5 (1.44)	0.21 (0.46)
716M-LCF78-076	7-16 DIN Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	61.0 (2.4)	37.0 (1.5)	0.30 (0.66)
NF-LCF78-072	N Female RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	55.0 (2.2)	35.0 (1.4)	0.20 (0.45)
NF-LCF78-020	N Female RAPID FIT 2	O-ring	Silver/Silver	Spring Finger	CAF Clamping	TRIM-Series-D	44.5 (1.75)	35.8 (1.41)	0.18 (0.39)
NM-LCF78-072	N Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	65.6 (2.6)	35.0 (1.4)	0.15 (0.34)

# Connector Selection Guide

## CELLFLEX® Foam Cables

Model Number	Description	Sealing Method	Plating Outer/Inner	Contact Inner	Attachment Outer	Trimming Tool	Length, mm (in)	Outer Dia., mm (in)	Weight, kg (lb)
<b>UCF78-50A SERIES CONT'D</b>									
NM-LCF78-020	N Male RAPID FIT 2	O-ring	Silver/Silver	Spring Finger	CAF Clamping	TRIM-Series-D	57.5 (2.26)	35.8 (1.41)	0.18 (0.39)
716F-LCF78-026	7-16 DIN Female	Shrinking Sleeve	Silver/Silver	Soldered	Soldered	TRIM-Series-C	59.2 (2.3)	37.0 (1.5)	0.12 (0.27)
716M-LCF78-026	7-16 DIN Male	Shrinking Sleeve	Silver/Silver	Soldered	Soldered	TRIM-Series-C	59.2 (2.3)	37.0 (1.5)	0.12 (0.27)
<b>UCF114-50A SERIES</b>									
716F-LCF114-062	7-16 DIN Female RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Self Flare	TRIM-Series-A	68.0 (2.7)	48.0 (1.9)	0.42 (0.93)
716M-LCF114-062	7-16 DIN Male RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	72.0 (2.8)	48.0 (1.9)	0.42 (0.93)
NF-LCF114-062	N Female RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	62.0 (2.5)	48.0 (1.9)	0.45 (1.00)
NM-LCF114-062	N Male RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	76.1 (3.0)	48.0 (1.9)	0.44 (0.98)
78EIA-LCF114-062	7/8" EIA RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	62.0 (2.5)	57.0 (2.3)	0.54 (1.20)
158EIA-LCF114-062	1-5/8" EIA RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	86.0 (3.4)	90.0 (3.6)	0.42 (0.93)
716F-LCF114-072	7-16 DIN Female RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	68.0 (2.7)	48.0 (1.9)	0.45 (1.00)
716M-LCF114-072	7-16 DIN Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	72.0 (2.8)	48.0 (1.9)	0.45 (1.00)
NF-LCF114-072	N Female RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	62.0 (2.5)	48.0 (1.9)	0.48 (1.06)
NM-LCF114-072	N Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	76.3 (3.0)	48.0 (1.9)	0.48 (1.06)
716F-LCF114-026	7-16 DIN Female	Shrinking Sleeve	Silver/Silver	Soldered	Soldered	TRIM-Series-C	89.1 (3.51)	40.36 (1.6)	0.14 (0.31)
716M-LCF114-026	7-16 DIN Male	Shrinking Sleeve	Silver/Silver	Soldered	Soldered	TRIM-Series-C	85.3 (3.4)	41.0 (1.6)	0.14 (0.31)
<b>LCF14-50 SERIES</b>									
716M-LCF14-070	7-16 DIN Male RAPID FIT	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	48.0 (1.9)	37.0 (1.5)	0.06 (0.14)
NF-LCF14-070	N Female RAPID FIT	O-ring	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	39.0 (1.5)	16.0 (0.6)	0.05 (0.12)
NFS-LCF14-071	N Female RAPID FIT, Panel mount	O-ring	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	39.0 (1.5)	20.0 (0.8)	0.05 (0.11)
NM-LCF14-070	N Male RAPID FIT	O-ring	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	47.1 (1.9)	22.0 (0.9)	0.05 (0.12)
NMR-LCF14-075	N Male Right angle	O-ring	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	34.0 (1.3)	22.0 (0.9)	0.05 (0.12)
TNCM-LCF14-070	TNC Male RAPID FIT	O-ring	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	45.2 (1.8)	16.0 (0.6)	0.05 (0.12)
TNCMR-LCF14-075	TNC Male Right angle	O-ring	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	33.5 (1.3)	16.0 (0.6)	0.05 (0.12)
<b>LCF38-50 SERIES</b>									
716F-LCF38-070	7-16 DIN Female RAPID FIT	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	56.0 (2.2)	29.0 (1.2)	0.11 (0.25)
716M-LCF38-070	7-16 DIN Male RAPID FIT	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	55.0 (2.2)	37.0 (1.5)	0.11 (0.25)
NF-LCF38-070	N Female RAPID FIT	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	45.0 (1.8)	18.0 (0.7)	0.08 (0.18)
NM-LCF38-070	N Male RAPID FIT	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	53.1 (2.1)	22.0 (0.9)	0.08 (0.18)
NM-LCF38-015	N Male RAPID FIT Indoor	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	52.5 (2.1)	21.2 (0.8)	0.08 (0.18)
NMR-LCF38-071	N Male Right angle	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	51.6 (2.0)	22.0 (0.9)	0.10 (0.23)
78EIA-LCF38-001	7/8" EIA	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	83.5 (3.3)	57.0 (2.3)	0.27 (0.59)
TNCM-LCF38-075	TNC Male RAPID FIT	O-ring	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	54.2 (2.1)	18.0 (0.7)	0.05 (0.12)
<b>LCF12-50 SERIES</b>									
716F-LCF12-060	7-16 DIN Female RAPID FIT	Plast 2000	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	57.0 (2.3)	29.0 (1.2)	0.13 (0.29)
716M-LCF12-060	7-16 DIN Male RAPID FIT	Plast 2000	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	58.0 (2.3)	37.0 (1.5)	0.16 (0.36)
716MR-LCF12-061	7-16 DIN Male Right angle	Plast 2000	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	43.2 (1.7)	37.0 (1.5)	0.19 (0.42)
NF-LCF12-060	N Female RAPID FIT	Plast 2000	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	50.0 (2.0)	22.0 (0.9)	0.10 (0.23)
NF-LCF12-011	N Female Panel mount	Plast 2000	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	51.0 (2.0)	34.0 (1.3)	0.19 (0.42)
NF-LCF12-065	N Female RAPID FIT	Plast 2000	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	55.0 (2.2)	22.0 (0.9)	0.10 (0.22)
NM-LCF12-060	N Male RAPID FIT	Plast 2000	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	58.6 (2.3)	22.0 (0.9)	0.11 (0.25)
NMR-LCF12-061	N Male Right angle	Plast 2000	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	45.4 (1.8)	22.0 (0.9)	0.15 (0.34)
NM-LCF12-065	N Male RAPID FIT	Plast 2000	Silver/Gold	Basket	Spring Finger	TRIM-Series-A	65.0 (2.6)	22.0 (0.9)	0.11 (0.25)
4195M-LCF12-060	4.1-9.5 Male RAPID FIT	Plast 2000	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	51.6 (2.0)	25.0 (1.0)	0.12 (0.27)
78EIA-LCF12-060	7/8" EIA RAPID FIT	Plast 2000	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	85.0 (3.4)	57.0 (2.3)	0.28 (0.62)
UHFM-LCF12-060	UHF Male RAPID FIT	Plast 2000	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	59.2 (2.3)	22.0 (0.9)	0.10 (0.23)
716F-LCF12-070	7-16 DIN Female RAPID FIT	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	57.0 (2.3)	29.0 (1.2)	0.15 (0.34)
716F-LCF12-072	7-16 DIN Female Bulkhead	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	57.0 (2.3)	48 (1.9)	0.15 (0.34)
716M-LCF12-070	7-16 DIN Male RAPID FIT	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	58.0 (2.3)	37.0 (1.5)	0.15 (0.34)
716M-LCF12-071	7-16 DIN Male Right angle	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	43.2 (1.7)	37.0 (1.5)	0.19 (0.42)
NF-LCF12-070	N Female RAPID FIT	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	50.0 (2.0)	22.0 (0.9)	0.11 (0.25)
NM-LCF12-070	N Male RAPID FIT	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	58.6 (2.3)	22.0 (0.9)	0.11 (0.25)
NM-LCF12-071	N Male Right angle	O-ring	Silver/Silver	Basket	Spring Finger	TRIM-Series-A	45.4 (1.8)	22.0 (0.9)	0.18 (0.40)
78EIA-LCF12-002	7/8" EIA	O-ring	Brass/Silver	Basket	Self Flare	TRIM-Series-B	86.4 (3.4)	25.4 (1.0)	0.17 (0.38)
UHFF-LCF12-001	UHF Female	O-ring	Brass/Silver	Basket	Self Flare	TRIM-Series-B	81.3 (3.2)	25.4 (1.0)	0.18 (0.40)
UHFM-LCF12-001	UHF Male Knurled nut	O-ring	Brass/Silver	Basket	Self Flare	TRIM-Series-B	78.7 (3.1)	25.4 (1.0)	0.17 (0.38)
C-LCF12-002	Splice	O-ring	Brass/Silver	Basket	Self Flare	TRIM-Series-B	91.4 (3.6)	25.4 (1.0)	0.18 (0.40)



# Connector Selection Guide

## CELLFLEX® Foam Cables

Model Number	Description	Sealing Method	Plating Outer/Inner	Contact Attachment Inner	Contact Attachment Outer	Trimming Tool	Length, mm (in)	Outer Dia., mm (in)	Weight, kg (lb)
<b>LCF58-50A SERIES</b>									
NF-LCF58-070	N Female RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	52.5 (2.07)	28.0 (1.10)	0.15 (0.33)
NM-LCF58-070	N Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	62.0 (2.44)	28.0 (1.10)	0.14 (0.31)
<b>LCF78-50A-A* SERIES</b>									
716F-LCF78-062	7-16 DIN Female RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	62.0 (2.5)	35.0 (1.4)	0.22 (0.49)
716M-LCF78-062	7-16 DIN Male RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	66.0 (2.6)	37.0 (1.5)	0.22 (0.49)
716MR-LCF78-066	7-16 DIN Male Right angle	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	61.0 (2.4)	37.0 (1.5)	0.30 (0.66)
NF-LCF78-062	N Female RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	55.0 (2.2)	35.0 (1.4)	0.15 (0.34)
NM-LCF78-062	N Male RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	65.6 (2.6)	35.0 (1.4)	0.15 (0.34)
78EIA-LCF78-062	7/8" EIA RAPID FIT	Plast 2000	Silver/Silver	Self Tapping	Spring Finger	TRIM-Series-A	76.5 (3.0)	57.0 (2.3)	0.38 (0.85)
158EIA-LCF78-062	1-5/8" EIA RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	110.0 (4.3)	90.0 (3.6)	0.95 (2.10)
HNM-LCF78-062	HN Male RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger		69.4 (2.7)	34.8 (1.4)	0.18 (0.40)
716F-LCF78-072	7-16 DIN Female RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	61.0 (2.4)	35.0 (1.4)	0.22 (0.49)
716F-LCF78-020	7-16 DIN Female RAPID FIT 2	O-ring	Silver/Silver	Spring Finger	CAF Clamping	TRIM-Series-D	56 (2.21)	35.8 (1.41)	0.20 (0.43)
716M-LCF78-072	7-16 DIN Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	66.0 (2.6)	37.0 (1.5)	0.22 (0.49)
716M-LCF78-020	7-16 DIN Male RAPID FIT 2	O-ring	Silver/Silver	Spring Finger	CAF Clamping	TRIM-Series-D	52.1 (2.05)	36.5 (1.44)	0.21 (0.46)
716M-LCF78-076	7-16 DIN Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	61.0 (2.4)	37.0 (1.5)	0.30 (0.66)
NF-LCF78-072	N Female RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	55.0 (2.2)	35.0 (1.4)	0.20 (0.45)
NF-LCF78-020	N Female RAPID FIT 2	O-ring	Silver/Silver	Spring Finger	CAF Clamping	TRIM-Series-D	44.5 (1.75)	35.8 (1.41)	0.18 (0.39)
NM-LCF78-072	N Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	65.6 (2.6)	35.0 (1.4)	0.15 (0.34)
NM-LCF78-020	N Male RAPID FIT 2	O-ring	Silver/Silver	Spring Finger	CAF Clamping	TRIM-Series-D	57.5 (2.26)	35.8 (1.41)	0.18 (0.39)
716F-LCF78-026	7-16 DIN Female	Shrinking Sleeve	Silver/Silver	Soldered	Soldered	TRIM-Series-C	59.2 (2.3)	37.0 (1.5)	0.12 (0.27)
716M-LCF78-026	7-16 DIN Male	Shrinking Sleeve	Silver/Silver	Soldered	Soldered	TRIM-Series-C	59.2 (2.3)	37.0 (1.5)	0.12 (0.27)
<b>LCFS114-50A SERIES</b>									
716F-LCF114-062	7-16 DIN Female RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Self Flare	TRIM-Series-A	68.0 (2.7)	48.0 (1.9)	0.42 (0.93)
716M-LCF114-062	7-16 DIN Male RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	72.0 (2.8)	48.0 (1.9)	0.42 (0.93)
NF-LCF114-062	N Female RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	62.0 (2.5)	48.0 (1.9)	0.45 (1.00)
NM-LCF114-062	N Male RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	76.1 (3.0)	48.0 (1.9)	0.44 (0.98)
78EIA-LCF114-062	7/8" EIA RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	62.0 (2.5)	57.0 (2.3)	0.54 (1.20)
158EIA-LCF114-062	1-5/8" EIA RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	86.0 (3.4)	90.0 (3.6)	0.42 (0.93)
716F-LCF114-072	7-16 DIN Female RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	68.0 (2.7)	48.0 (1.9)	0.45 (1.00)
716M-LCF114-072	7-16 DIN Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	72.0 (2.8)	48.0 (1.9)	0.45 (1.00)
NF-LCF114-072	N Female RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	62.0 (2.5)	48.0 (1.9)	0.48 (1.06)
NM-LCF114-072	N Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	76.3 (3.0)	48.0 (1.9)	0.48 (1.06)
716F-LCF114-026	7-16 DIN Female	Shrinking Sleeve	Silver/Silver	Soldered	Soldered	TRIM-Series-C	89.1 (3.51)	40.36 (1.6)	0.14 (0.31)
716M-LCF114-026	7-16 DIN Male	Shrinking Sleeve	Silver/Silver	Soldered	Soldered	TRIM-Series-C	85.3 (3.4)	41.0 (1.6)	0.14 (0.31)
<b>LCF158-50A SERIES</b>									
716F-LCF158-062	7-16 DIN Female RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	84.0 (3.3)	60.0 (2.4)	0.65 (1.44)
716M-LCF158-062	7-16 DIN Male RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	89.0 (3.5)	60.0 (2.4)	0.67 (1.48)
NF-LCF158-062	N Female RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	77.0 (3.0)	60.0 (2.4)	0.66 (1.46)
NM-LCF158-062	N Male RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	88.6 (3.5)	60.0 (2.4)	0.67 (1.48)
78EIA-LCF158-062	7/8" EIA RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	105 (4.1)	59.5 (2.3)	0.70 (1.55)
158EIA-LCF158-062	1-5/8" EIA RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	99.0 (3.9)	90.0 (3.6)	1.18 (2.61)
716F-LCF158-072	7-16 DIN Female RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	84.0 (3.3)	60.0 (2.4)	0.73 (1.61)
716M-LCF158-072	7-16 DIN Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	89.0 (3.5)	60.0 (2.4)	0.70 (1.55)
NF-LCF158-072	N Female RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	77.0 (3.0)	60.0 (2.4)	0.71 (1.57)
NM-LCF158-072	N Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	88.6 (3.5)	60.0 (2.4)	0.67 (1.48)
78EIA-LCF158-003	7/8" EIA	O-ring	Brass/Brass	Self Tapping	Tab Flare		113.1 (4.45)	63.1 (2.48)	0.70 (1.55)
716F-LCF158-026	7-16 DIN Female	Shrinking Sleeve	Silver/Silver	Soldered	Soldered	TRIM-Series-C	94.0 (3.7)	51.8 (2.0)	0.15 (0.34)
716M-LCF158-026	7-16 DIN Male	Shrinking Sleeve	Silver/Silver	Soldered	Soldered	TRIM-Series-C	90.2 (3.6)	51.0 (2.0)	0.15 (0.34)
716M-LCF158-008	7-16 DIN Male Indoor Quick Clamp	N/A	Silver/Silver	Spring Finger	Spring Finger	TRIM-114-C06	118 (4.6)	78 (3.1)	1.00 (2.21)
<b>LCF214-50A-P* SERIES</b>									
716F-LCF214-062	7-16 DIN Female RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	98.0 (3.9)	70.0 (2.8)	1.00 (2.21)
716M-LCF214-062	7-16 DIN Male RAPID FIT	Plast 2000	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	98.0 (3.9)	70.0 (2.8)	1.00 (2.21)
716F-LCF214-072	7-16 DIN Female RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	98.6 (3.9)	70.0 (2.8)	1.00 (2.21)
716M-LCF214-072	7-16 DIN Male RAPID FIT	O-ring	Silver/Silver	Spring Finger	Spring Finger	TRIM-Series-A	98.0 (3.9)	70.0 (2.8)	1.00 (2.21)
716F-LCF214-025	7-16 DIN Female	Shrinking Sleeve	Silver/Silver	Soldered	Soldered	TRIM-Series-C	98.5 (3.88)	60.0 (2.4)	0.18 (0.40)
716M-LCF214-025	7-16 DIN Male	Shrinking Sleeve	Silver/Silver	Soldered	Soldered	TRIM-Series-C	94.7 (3.7)	60.0 (2.4)	0.18 (0.40)